

Endoscopes & Inspection cameras

SECA DS100 Cavity Inspection Camera



Monitor

DVR Res: D1: 720x576 QVGA: 360x288
Compression: M-JPEG and standard JPG
Memory: SD/SDHC card up to 32GB
Power: Bat Lithium Ion11.1v4400maH

Voltage: 12v DC

Op Temp: -20° to $+55^{\circ}$ C

LCD: 5.0" TFT High Res LCD Screen

LCD Res: 640x480 (RGB)

Probe

Probe Dia: 9.5mm

Material: Stainless Steel

W/Length: 270mm Ins Tube Dia: 12mm Ins Tube Length: 219mm Viewing Angle: 90°

Lighting: 2 High Density LED's

The Dart Cavity Inspection Camera provides a high specification solution to Cavity Inspection. The system allows for in-depth inspections and surveys of cavity wall voids with the capability to take high quality video and stills of the selected area. Utilizing a 5" LCD High resolution screen coated with an antiglare coating to aid use in sunlight, the system provides a safer, user friendly solution than the traditional optical viewing systems.

With high intensity LED lighting the system is capable of providing light up to 1.5m depending on the cavity depth. The Camera probe can be inserted through 12.5mm drilled holes in brickwork when using the Insertion tube, but can be used through 10mm Dia holes if necessary.

Suitable applications include Cavity wall inspection, wall tie and dry rot inspection, pest control, boat surveys and many more where a rigid side-view endoscope is required.

Additional Battery Packs, Vehicle Chargers, Transport Cases are also available with this modular system.

Applications:

- Cavity Wall Inspection
- Utility Inspection
- Perimeter Security
- Surveillance and maintenance of technical equipment



OR Code

V10/02/14